Method for mounting terminal on circuit board and circuit board

Publication number: CN1220078

Publication date:

1999-06-16

Inventor:

SATOSHI NAKAMURA (JP)

Applicant:

ROHM CO LTD (JP)

Classification:

- international:

H05K3/30; H05K3/34; H05K3/00;

H05K3/30; H05K3/34; H05K3/00;

(IPC1-7): H05K3/34

- european:

H05K3/30C2; H05K3/34B

Application number: CN19970194930 19970530 Priority number(s): JP19960138036 19960531

Also published as:

国 EP0952761 (A1)

☑ WO9746060 (A1)


国 US6225573 (B1)

CN1164154C (C)

Report a data error here

Abstract not available for CN1220078
Abstract of corresponding document: EP0952761

There are provided a coating step for coating solder paste (3) onto the circuit board (1), a superimposing step for superimposing a connecting end (4a) of a terminal (4) also having a non-connecting end (4b) on the regions coated with solder paste (3), and a heating step for heating and melting the solder paste (3) in order to solder the connecting end (4a) onto the circuit board (1). A further step for coating adhesive material (6) onto the circuit board (1) is provided, and in the aforementioned superimposing step, the connecting end (4a) is brought into contact with the regions coated with the adhesive material (6). In the aforementioned heating step, the solder paste (3) is heated and caused to melt whilst the connecting end (4a) is in a



bonded state with respect to the circuit board (1) by means of the adhesive material (6).

Data supplied from the esp@cenet database - Worldwide

Cited reforence document 1

[19] 中华人民共和国国家知识产权局

[51] Int. Cl²
H05K 3/34
H05K 1/11 H01R 12/04



[12] 发明专利说明书

[21] ZL专利号 97194930.1

[45] 授权公告日 2004年8月25日

[11] 授权公告号 CN 1164154C

[22] 申请日 1997.5.30 [21] 申请号 97194930.1

[30] 优先权

[32] 1996. 5.31 [33] JP [31] 138036/1996

[86] 国际申请 PCT/JP1997/001869 1997.5.30

[87] 凶际公布 W01997/046060 日 1997.12.4

[85] 进入国家阶段日期 1998.11.24

[71] 专利权人 罗姆股份有限公司 地址 日本京都府


[72] 发明人 中村聪 审查员 张群锋 [74] 专利代理机构 中科专利商标代理有限责任公司 代理人 汗惠民

权利要求书 2 页 说明书 13 页 附图 15 页

[54] 发明名称 电路板上接线端的安装方法以及电路板

[57] 摘要

一种电路板上接线端的安装方法具备有在电路板(1)上涂抹焊膏(3)的涂抹工序、把具有连接端(4a)与焊膏(3)涂抹区重叠的重叠工序和为把连接端(4a)与焊在电路板(1)上加热熔融焊膏(3)的加热工序,此外还具有在电路板(1)上涂抹粘合剂(6)的工序,上述重叠工序是使连接端(4a)与粘合剂(6)的涂抹区接触,上述加热工序是在通过粘合剂(6)使连接端(4a)粘合在电路板(1)上的状态下加热熔融焊膏(3)。



知识产权出版社出版